

PRODUCT-DETAILS

# ASF13/M16/A/BL

## M16 PA66 LQT FITTING BLACK



### General Information

Extended Product Type	ASF13/M16/A/BL
Product ID	7TCA296000R1586
EAN	5020963010972
Catalog Description	M16 PA66 LQT FITTING BLACK
Long Description	Adaptaseal Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 13mm, M16 Thread, Polyamide (Nylon) 66, Black

### Ordering

EAN	5020963010972
Customs Tariff Number	3917400090

### Dimensions

Product Net Weight	.02 lb 9.07 g
--------------------	------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	1.2 in

	30 mm
Package Level 1 Depth / Length	0.75 in 19 mm
Package Level 2 Units	400 piece
Package Level 2 Width	1.2 in 30 mm
Package Level 2 Height	1.2 in 30 mm
Package Level 2 Depth / Length	0.75 in 19 mm

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M16 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 13mm
UPC	786210281544

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ASF13/M16/A/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	ASF13/M16/A/BL

### Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

