



---

**PRODUCT-DETAILS****CDP23.300**

CDP23.300 Cable ETH-X1/X4-UMC100.3  
unshielded, length 3 m



---

**General Information**

<b>Extended Product Type:</b>	CDP23.300
<b>Product ID:</b>	1SAJ929230R0030
<b>EAN:</b>	4013614496431
<b>Catalog Description:</b>	CDP23.300 Cable ETH-X1/X4-UMC100.3 unshielded, length 3 m
<b>Long Description:</b>	CDP23.300 cable from Ethernet interface like MTQ22 or PNQ22 to UMC100.3.
<b>Display Name:</b>	CDP23.300

---

**Ordering**

<b>Minimum Order Quantity:</b>	1 piece
<b>Customs Tariff Number:</b>	85444290
<b>Product Main Type:</b>	CDP

## Popular Downloads

Data Sheet, Technical Information:	2CDC135032D0201
Instructions and Manuals:	2CDC135032D0201
CAD Dimensional Drawing:	2CDC001079B0201
EPLAN Data:	9AAC181493_EPLAN

## Dimensions

Product Net Width:	23.3 mm
Product Net Depth / Length:	3000 mm
Product Net Height:	8.3 mm
Product Net Weight:	160 g

## Technical

Connecting Capacity:	1x 0.34 mm <sup>2</sup>
Mounting Type:	Wall Duct
Mounting on DIN Rail:	No
Recommended Screw Driver:	Pozidriv 1
Suitable For:	PNQ22-FBP.0 MTQ22-FBP.0 UMC100.3
Suitable for Product Class:	Universal Motor Controllers Accessories
Terminal Type:	Push-in Spring Terminals
Wire Stripping Length:	7 mm

## Technical UL/CSA

Connecting Capacity UL/CSA:	Flexible with Ferrule 1x 22 AWG Rigid 1x 22 AWG
-----------------------------	----------------------------------------------------

## Environmental

Degree of Protection:	IP20
-----------------------	------

## Material Compliance

Conflict Minerals Reporting Template (CMRT):	9AKK108467A5658
REACH Declaration:	1SAA983001-4501
RoHS Declaration:	1SVD981001-4401
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

<b>Toxic Substances Control Act - TSCA:</b>	2CMT2023-006538
<b>WEEE Category:</b>	Product Not in WEEE Scope

---

## Certificates and Declarations

<b>ATEX Certificate:</b>	Not available
<b>Declaration of Conformity - CE:</b>	No declaration needed

---

## Container Information

<b>Package Level 1 Units:</b>	bag 1 piece
<b>Package Level 1 Width:</b>	210 mm
<b>Package Level 1 Depth / Length:</b>	190 mm
<b>Package Level 1 Height:</b>	38 mm
<b>Package Level 1 Gross Weight:</b>	160 g
<b>Package Level 1 EAN:</b>	4013614496431

---

## External Classifications and Standards

<b>eClass:</b>	V11.0 : 27242608
<b>E-Number (Norway):</b>	4552652
<b>ETIM 6:</b>	EC001604 - Fieldbus, decentr. periphery - communication module
<b>ETIM 7:</b>	EC001604 - Fieldbus, decentr. periphery - communication module
<b>ETIM 8:</b>	EC001604 - Fieldbus, decentr. periphery - communication module
<b>ETIM 9:</b>	EC001604 - Fieldbus, decentr. periphery - communication module
<b>IDEA Granular Category Code (IGCC):</b>	1722 >> Network cable
<b>Object Classification Code:</b>	W
<b>UNSPSC:</b>	26121609

---

## Categories

Products > Low Voltage Products and Systems > Control Products > Motor Controllers > Universal Motor Controllers Accessories

