PRODUCT-DETAILS

RF25/BL/30M

25MM PVCU-PVC COAT CONDUIT 30M - BL



General Information

Extended Product Type:	RF25/BL/30M
Product ID:	7TCA296060R0073
EAN:	5020963047572
Catalog Description:	25MM PVCU-PVC COAT CONDUIT 30M - BL
Long Description:	Heavyweight Conduit - Smooth Boore, Nominal Conduit Size 25mm, Outside Diameter 27.5mm, Inside Diameter 22.0mm, Static Bend Radius 50mm, Reel Length 30 Meters, PVCu Spiral with Plasticised PVC Covering, Black
Display Name:	RF25/BL/30M

Additional Information

Product Main Type:	Adaptaflex Flexible Cable Protection
Application:	Indoors / Outdoors, Torsional Equipment, electrical insulator

Ordering

EAN:	5020963047572

© 2026 ABB. All rights reserved.

UPC:	786210243924

Dimensions

Outside Diameter:	27.5 mm

Technical

Number of Batteries:	0
Color:	Black
Material:	PVCu Spiral with Plasticised Covering

Environmental

WEEE Category:	Product Not in WEEE Scope
RoHS Information:	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

Container Information

Package Level 1 Units:	1 piece
Package Level 1 EAN:	5020963047572
Package Level 1 Height:	1 in 25 mm
Package Level 1 Depth / Length:	1 in 25 mm
Package Level 1 Width:	1 in 25 mm

Certificates and Declarations

Declaration of Conformity - CE:	9AKK107492A9618
RoHS Declaration:	9AKK107992A8994
REACH Declaration:	9AKK107992A8994

External Classifications and Standards

ETIM 8:	EC001175 - Corrugated plastic hose
ETIM 9:	EC001175 - Corrugated plastic hose
UNSPSC:	39131706

Categories

© 2026 ABB. All rights reserved.

Products > Low Voltage Products and Systems > Installation Products > Cable Protection, Explosion Proof and Lighting > Flexible Cable Protection Systems > Adaptaflex Flexible Cable Protection



© 2026 ABB. All rights reserved.