

PRODUCT-DETAILS

# SP32/BL/25M

## PVC COVRD.LIQ.PROOF NC32 25MT BLK



### General Information

Extended Product Type	SP32/BL/25M
Product ID	7TCA296020R0227
EAN	5020963000140
Catalog Description	PVC COVRD.LIQ.PROOF NC32 25MT BLK
Long Description	Liquid Resistant, General Purpose, Highly Flexible Conduit, 1 Inch, Nominal Conduit Size 32mm, Outside Diameter 34.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 25 Meters, PVC Jacket with Galvanised Steel Core, Black

### Additional Information

Application	Indoors / Outdoors - Light Industrial, General Purpose, Buildings
Product Type	High Flexibility Conduit

### Ordering

EAN	5020963000140
UPC	786210249162
Customs Tariff Number	8307106000

### Dimensions

Product Net Depth / Length	25 m
----------------------------	------

---

**Technical**


---

Number of Batteries	0
Color	Black
Material	Galvanized Steel Core with PVC Jacket

---



---

**Environmental**


---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

**Container Information**


---

Package Level 1 Units	1 piece
Package Level 1 Height	16 in 406 mm
Package Level 1 Depth / Length	16 in 406 mm
Package Level 1 Width	17 in 432 mm

---



---

**Certificates and Declarations (Document Number)**


---

Data Sheet, Technical Information	SP32/BL/25M
Instructions and Manuals	SP32/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

**Classifications**


---

UNSPSC	39131706
--------	----------

---



---

**Categories**


---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

