

Miner ME Zinc Coated Steel



* This image is under review

INDEX

Leaflet

Catalogue Information

Technical Drawings

WEB LINKS

Miner ME – Zinc Coated Steel Information Page

Ask a question / Send us an enquiry

Information about B&R

Local Sales Team Phone Numbers

Miner ME – Zinc Coated Steel



Features

- Protection rating – IP66
- Approvals
CE marked
Lloyds
- Pintle hinges
- Suitable for 1000 volt applications
- 100 micron UV resistant modified polyester paint finish
- Suitable for temperatures -10°C to +60°C
- Specially designed flat faced gutter
- FIP polyurethane gasket with flat face seal for long-life



* This image is under review



OVERVIEW

The Miner ME is manufactured from 2mm thick zinc coated steel with pintle hinges, featuring 100 micron thick UV resistant modified polyester paint providing superior protection and visibility. The Miner ME was developed for the underground mining environment and is suitable for 1000 volt applications underground.

APPLICATION

Suitable for underground mining applications in tough Australian conditions.

MATERIALS

- Body – Zinc coated steel
- Body thickness – 2mm
- Gasket – FIP polyurethane
- Surface finish – Powdercoated french blue or X-15 orange

INCLUSIONS

- Steel mounting pan
- 7mm square turnbuckle lock
(2 supplied on 800mm high and above)
- Earth strap kit



Miner ME – Zinc Coated Steel

SELECTION GUIDE

Catalogue No.	X-15 Orange	Dimensions (mm)			No. Locks	Weight
		Height	Width	Depth		
ME06043	ME06043/RO	600	400	310	1	21.9
ME06063	ME06063/RO	600	600	310	1	30.1
ME08063	ME08063/RO	800	600	310	2	38.2
ME08083	ME08083/RO	800	800	310	2	48.5
ME10083	ME10083/RO	1000	800	310	2	58.7
ME10103	ME10103/RO	1000	1000	310	2	71.1
ME12083	ME12083/RO	1200	800	310	2	68.9

ACCESSORIES

Product	Description	Catalogue No.
Frame	To suit 600 wide enclosure	MEF06
	To suit 800 wide enclosure	MEF08




Frame

Queensland P +61 7 3714 1000
Townsville P +61 7 4775 6255
Sydney P +61 2 8867 7688
Newcastle P +61 2 4961 4433
Victoria P +61 3 8588 8400
South Australia P +61 8 8417 6200

Western Australia P +61 8 9248 9744
Tasmania P +61 3 6331 5545
Northern Territory P +61 8 8947 0870
sales@brenclosures.com.au
brenclosures.com.au



Technical Drawings



Catalogue No.	Dimensions (mm)										No of Locks
	External				Internal Depth		Mounting Pan		Opening Size		
	A	B	C	D	E	F	G	H	I	J	
ME06043	600	400	310	284	306	262	530	300	350	320	1
ME06063	600	600	310	284	306	262	530	500	350	520	1
ME08063	800	600	310	284	306	262	730	500	740	520	2
ME08083	800	800	310	284	306	262	730	700	740	720	2
ME10083	1000	800	310	284	306	262	930	700	940	720	2
ME10103	1000	1000	310	284	306	262	930	900	940	920	2
ME12083	1200	800	310	284	306	262	1130	700	1140	720	2