

Eaton CEO100

Catalog Number: CEO100

Eaton Bussmann series low voltage british standard fuse, 100A, AC 500 V, V88/A4, 25 x 110 mm, gL/gG

General specifications

Product Name	Catalog Number
Eaton Bussmann series low voltage british standard fuse	CEO100
	UPC
	051712839419
EAN	Product Length/Depth
5027590496247	109.5 mm
Product Height	Product Width
24.5 mm	21 mm
Product Weight	Compliances
77.6 g	RoHS Compliant



Electrical rating

Amperage Rating

100 A

Breaking capacity

80 kA

Interrupt rating

80 kAIC

Rated switching capacity

80 kA

Voltage rating

500 V

Voltage type

AC

Physical details

Color

None

Fuse type

CEO

General information

Class

Class gG/gL

Connection

94 mm fixing centre

Construction size

A4

Fitted with:

Offset bolted tags

Fuse indicator

None

Fuse shape

Offset bolted tags

Fuse size

BS88/A4

Insulated metal gripping lugs (IMGL)

No

Utilization category

gL/gG (cable protection/equipment protection)

Resources

Catalogues

CA134002EN

Declarations of conformity

UKCA AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

CE AAO,BAO,CEO,NITD,NIT,GTIS,CEO100M,GTIS63M

Installation videos

Video BS88 industrial fuse links

Multimedia

[Eaton Bussmann - Red Spot fuse links](#)

[Technical data sheets](#)

[4115 CEO fuses](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All rights reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia