

# Ducting Accessories

Product Data Sheet

## Ducting Accessories

Clipsal's range of Ducting Accessories provide suitable solutions for both residential and commercial applications.


Especially designed for use with Clipsal's range of Mixed Flow Inline Fans, the accessories can also be used with any other applicable ducted-type fan.

All accessories come in 100mm, 150mm and 200mm.

### Inlet Grilles

Circular Inlet Grille with adjustable inlet face (white).


	INGRIL-100	INGRIL-150	INGRIL-200
<b>D</b> ∅	100mm	150mm	200mm
<b>D1</b> ∅	90mm	128mm	128mm
<b>D2</b> ∅	148mm	200mm	246mm
<b>H</b>	58mm	58mm	58mm
<b>H1</b>	28mm	20mm	20mm



## Outlet Grilles

Square Fixed Outlet Grille with insect-screen (white).

	OUTGRIL-100	OUTGRIL-150	OUTGRIL-200
<b>D ∅</b>	100mm	150mm	200mm
<b>L</b>	15mm	15mm	14mm
<b>B</b>	154mm	186mm	250mm
<b>L1</b>	45mm	50mm	44mm
<b>H</b>	110mm	160mm	210mm



**Schneider Electric (Australia) Pty Ltd**  
Contact us: [Clipsal.com/feedback](https://clipsal.com/feedback)

National Customer Care Enquiries:  
**Tel 1300 2025 25 Fax 1300 2025 56**  
New Zealand National Customer Care Enquiries:  
**Tel 0800 652 999 Fax 0800 101 152**

Schneider Electric (Australia) Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

## Flex Duct

Aluminum Flexible Ducting (6 metre).


	FLEXDUCT-100	FLEXDUCT-150	FLEXDUCT-200
<b>Diameter</b> $\varnothing$	102mm	152mm	203mm
<b>Length</b>	6m	6m	6m



## Y Junctions

Aluminum Y Junction for connection of multiple ducting runs.

	YJUNCT-100	YJUNCT-150	YJUNCT-200
<b>Diameter</b> $\varnothing$	100mm	150mm	200mm
<b>Height</b>	155mm	222mm	266mm



**Schneider Electric (Australia) Pty Ltd**  
Contact us: [Clipsal.com/feedback](https://clipsal.com/feedback)

National Customer Care Enquiries:  
**Tel 1300 2025 25 Fax 1300 2025 56**  
New Zealand National Customer Care Enquiries:  
**Tel 0800 652 999 Fax 0800 101 152**


Schneider Electric (Australia) Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.

## Draft Stoppers

Plastic backdraft dampers to prevent return draft.



	DSTOPPER-100	DSTOPPER-150	DSTOPPER-200
<b>D</b> ∅	100mm	150mm	200mm
<b>D1</b> ∅	96mm	148mm	197mm
<b>a</b>	62mm	62mm	62mm



**Schneider Electric (Australia) Pty Ltd**  
Contact us: [Clipsal.com/feedback](https://clipsal.com/feedback)

National Customer Care Enquiries:  
**Tel 1300 2025 25 Fax 1300 2025 56**  
New Zealand National Customer Care Enquiries:  
**Tel 0800 652 999 Fax 0800 101 152**

Schneider Electric (Australia) Pty Ltd reserves the right to change specifications, modify designs and discontinue items without incurring obligation and whilst every effort is made to ensure that descriptions, specifications and other information in this catalogue are correct, no warranty is given in respect thereof and the company shall not be liable for any error therein.