



PAR 56
300PAR56/NSP 240V

18676

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Product data

Cap/Base	GX16d
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	177.8
Maximum Overall Length [mm]	127
Net weight per piece [g]	625
Gross weight per piece [g]	694
Brand	General Electric (GE)
Energy efficiency class (EEC)	E

Performance data

Nominal correlated colour temperature (CCT) [K]	2750
Nominal beam angle [°]	19
Nominal center beam candlepower (CBCP) [cd]	40000
Nominal lumens [lm]	3450
Rated Life [h]	2000
Nominal power [W]	300
Weighted energy consumption [kWh/1000h]	285.58
Nominal lamp voltage [V]	245

Electrical data

Coil type	CC-13
Ballast Required	No

Logistic data

DUN Code	00043168186766
EAN Code	0043168186766
Pack Quantity	12
Layer quantity	96 EUR, 132 UK
Layer quantity EUR	96
Layer quantity UK	132
Pallet quantity EUR (PC)	192
Pallet quantity UK (PC)	264
Outer case size	349 x 300 x 446 (mm)
Product status	Available

Application areas



Club and Disco

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(PDF\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.