Section 15

Hospitality



↑ HPM

Hospitality

Section 15

KeyTag switches 230-240V a.c.



Pack	Cat No.	Excel KeyTag switches Plate size: 73 x 117mm. Mounting centres: 84mm. Supplied with Cat. No. 770/20KTM switches inside pockets, Cat. No. 707M neons (opal in pocket, red outside), Cat. No. 770T3 blank tag. The KeyTag mechanisms supplied are interchangeable with other mechs. Detailed below. Base pocket style KeyTags are available with plastic cover plates only.		
10	XL770KT1	2 x 20A switches & neon in base pocket		
10	XL770KT2	2 x 20A switches & neon in base pocket, 10A independent switch above		
10	XL770KT3	2 x 20A switches & neon in base pocket, 10A independent switch & neon above		
10	XL770KT4	3 x 20A switches in base pocket		
10	XL770KT5	3 x 20A switches in base pocket, 10A independent switch above		
10	XL770KT6	3 x 20A switches in base pocket, 10A independent switch & neon above		
10	XL770KT7	2 x 20A switches & neon in top pocket		
10	XL770KT8	2 x 20A switches & neon in top pocket, 10A independent switch below		
10	XL770KT9	2 x 20A switches & neon in top pocket, 10A independent switch & neon below		
10	XL770KT10	3 x 20A switches in top pocket		
10	XL770KT11	3 x 20A switches in top pocket, 10A independent switch below		
10	XL770KT12	3 x 20A switches in top pocket, 10A independent switch & neon below		
10	XL770KT13	3 x 20A switches & neon in base pocket		
10	XL770KT14	4 x 20A switches in base pocket		
10	XL770KT15	3 x 20A switches & neon in top pocket		
10	XL770KT16	4 x 20A switches in top pocket		
		KeyTags		
10	770T3	Keytag, 100mm long, with removable insert		



Pack	Cat No.	Excel VingCard KeyTag switches Plate size: 73 x 117mm. Mounting centres: 84mm. Available in white only. Activation by insertion of a VingCard (not supplied). Base pocket style KeyTags are available with plastic cover plates only.
10	XL770VCKT1	2 x 20A switches & neon in base pocket
10	XL770VCKT3	2 x 20A switches & neon in base pocket, 10A independent switch & neon above
10	XL770VCKT4	3 x 20A switches in base pocket
10	XL770VCKT5	3 x 20A switches in base pocket, 10A independent switch above
10	XL770VCKT6	3 x 20A switches in base pocket, 10A independent switch & neon above
10	XL770VCKT7	2 x 20A switches & neon in top pocket
10	XL770VCKT8	2 x 20A switches & neon in top pocket, 10A independent switch below
10	XL770VCKT9	2 x 20A switches & neon in top pocket, 10A independent switch & neon below
10	XL770VCKT10	3 x 20A switches in top pocket
10	XL770VCKT11	3 x 20A switches in top pocket, 10A independent switch below
10	XL770VCKT12	3 x 20A switches in top pocket, 10A independent switch & neon below
10	XL770VCKT13	3 x 20A switches & neon in base pocket
10	XL770VCKT14	4 x 20A switches in base pocket
10	XL770VCKT15	3 x 20A switches & neon in top pocket
10	XL770VCKT16	4 x 20A switches in top pocket



Hospitality

Section 15



Pack	Cat No.	Excel KeyCard switches Plate size: 73 x 117mm. Mounting centres: 84mm. Available in white only. Activation by insertion of a room access card, (not sup- plied). Base pocket style KeyTags are available with plastic cover plates only.
10	XL770KM1	2 x 20A switches & neons in base pocket
10	XL770KM2	2 x 20A switches & neons in base pocket, 10A independent switch above
10	XL770KM3	2 x 20A switches & neons in base pocket, 10A independent switch & neon above
10	XL770KM7	2 x 20A switches & neons in top pocket
10	XL770KM8	2 x 20A switches & neons in top pocket, 10A independent switch below
10	XL770KM9	2 x 20A switches & neons in top pocket, 10A independent switch & neon below



Pack	Cat No.	Standard KeyTag switches Plate size: 70 x 114mm. Mounting centres: 84mm. Available in white only. Supplied with Cat. No 770/20KTM switches inside pock- ets, Cat. No. 707M neons (opal in pocket, red outside) Cat. No. 770M switches outside pockets, and Cat. No. 770T3 blank tag. The KeyTag mechanisms supplied are interchangeable with other mechs detailed below.
10	770KT1	2 x 20A switches & neon in base pocket
10	770KT2	2 x 20A switches & neon in base pocket, 10A independent switch above
10	770KT3	2 x 20A switches & neon in base pocket, 10A independent switch & neon above
10	770KT4	3 x 20A switches in base pocket
10	770KT5	3 x 20A switches in base pocket, 10A independent switch above

10	770KT8	2 x 20A switches & neon in top pocket, 10A independent switch below
10	770KT10	3 x 20A switches in top pocket
10	770KT11	3 x 20A switches in top pocket, 10A independent switch below
10	770KT13	3 x 20A switches & neon in base pocket
10	770KT14	4 x 20A switches in base pocket
10	770KT16	4 x 20A switches in top pocket

Shaver supply outlets



Pack	Cat No
10	XL798/0

Excel shaver supply outlets Plate size: 117 x 73mm. Mounting centres: 84mm

Excel shaver outlet



Pack	Cat No	Excel shaver supply outlets with double powerpoint Plate size: 114 x 177mm. Mounting centres: 84mm Available in white only
1	XL798/777	Excel shaver outlet & double powerpoint
1	XL798/777EL30	Excel shaver outlet & double powerpoint with 30mA safety switch
1	XL798/777X	Excel shaver outlet & double powerpoint and extra switch



Hospitality

Section 15



Pack	Cat No.	Standard Range shaver supply outlets Plate size: 184 x 85mm. mounting centres: 152mm
1	798H	Horizontal shaver outlet & single powerpoint
1	798V	Vertical shaver outlet & single powerpoint



Pack	Cat No.	Architectural Metal Range Shaver supply outlets with single powerpoint Plate size: 184 x 85mm. Mounting centres: 84mm. Normally supplied with brushed stainless steel plate. Also available in solid brass or white powder coated stainless steel. Specify when ordering. Surcharge applicable to any plates other than brushed stainless steel - please check when ordering.
1	MS798	Metal plate shaver outlet & single powerpoint
1	MS798V	Vertical metal plate shaver outlet & single powerpoint



Pack	Cat No.	Architectural Metal Range Shaver supply outlets with single powerpoint and safety switch Plate size: Horizontal model 225 x 90mm, vertical models 100 x 270mm. Mounting centres: Horizontal models 200mm, vertical models 245mm. Normally supplied with brushed stainless steel plate. Also available in solid brass or white powder coated stainless steel. Specify when ordering. Surcharge applicable to any plates other than brushed stainless steel - please check when ordering.
1	MS798EL30	Metal plate shaver outlet & single powerpoint, 30mA Safety Switch

1	MS798VEL30	Vertical metal plate shaver outlet & single powerpoint, 30mA Safety Switch
		Shaver supply outlets with single powerpoint, safety switch, and extra switch Plate size: 270 x 100mm. Mounting centres: 245mm Extra switch is Cat. No. 770M
1	MS798VEL10X	Vertical shaver outlet & single powerpoint with 10mA Safety Switch & extra switch
1	MS798VEL30X	Vertical shaver outlet & single powerpoint with 30mA Safety Switch & extra switch

KeyTag mechanisms



Pack	Cat No.	1 and 2 way (SPDT), and 1 way (SPST), 240V ac Size 21mm dia. x 17mm from back of Standard range plate
10	770KTM	10A KeyTag mechanism, 1-2 way & loop. Black Body
10	770/15KTM	15A KeyTag mechanism, 1-2 way & loop. Brown Body
10	770/202KTM	20A KeyTag mechanism, 1-2 way & loop. Orange Body
10	770/20KTM	20A KeyTag mechanism, 1 way & loop. Grey Body