

premiere

A modern day classic

Quietly boasting functionality and a beautifully understated form, now you can enjoy a simple and stylish look that creates a soothing effect on its surroundings. With its symmetrical feel and circular switches, PREMIERE has been made to measure – with different coloured surrounds which simply clip on to create your palette of choice. The natural feel and curves combine effortlessly with a modern set of colours for clean lines and lasting elegance.



premiere range



Switch plates only - no mechanisms 36



Switches 37



Architrave switches 38



Other products 38



IP66 switches 39



Sockets 40



Decorative surrounds 43



Standard polycarbonate surrounds 43



premiere

Surround your home in style

Colours



White



Black (BK)



Charcoal Grey (CG)



Titanium Grey (TG)

Tempered glass surrounds



Arctic Ice (AI)



Anthracite Coal (AC)



Mountain Mist (MM)



Slate (SL)

Real slate surround

Polycarbonate - glass effect surrounds



Frost (FR)



Midnight (MT)



Wild Mushroom (WM)



Nimbus (NB)



Aquamarine (AM)

Polycarbonate surround



White (WH)

Features

- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact high gloss UV stabilised Polycarbonate construction
- Removable surrounds for ease of painting



Featured in all switch plates



WBSP1



WBSP2-BK



WBSP3-CG



WBSP4-TG



WBSEA2

Switch plates only - no mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	White	10	WBSP1
	Black	10	WBSP1-BK
	Charcoal Grey	10	WBSP1-CG
	Titanium Grey	10	WBSP1-TG
2 gang	White	10	WBSP2
	Black	10	WBSP2-BK
	Charcoal Grey	10	WBSP2-CG
	Titanium Grey	10	WBSP2-TG
3 gang	White	10	WBSP3
	Black	10	WBSP3-BK
	Charcoal Grey	10	WBSP3-CG
	Titanium Grey	10	WBSP3-TG
4 gang	White	10	WBSP4
	Black	10	WBSP4-BK
	Charcoal Grey	10	WBSP4-CG
	Titanium Grey	10	WBSP4-TG
5 gang	White	10	WBSP5
	Black	10	WBSP5-BK
	Charcoal Grey	10	WBSP5-CG
	Titanium Grey	10	WBSP5-TG
6 gang	White	10	WBSP6
	Black	10	WBSP6-BK
	Charcoal Grey	10	WBSP6-CG
	Titanium Grey	10	WBSP6-TG
Blank	White	10	WBSPB
Special application module plate	White	10	WBSEA2

Features

- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push back
- High impact high gloss UV stabilised Polycarbonate construction
- Removable surrounds for ease of painting

Switches features

- Rocker features in-built arc shield and chemical resistant pivots
- All plates fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable



Featured in all switch plates



WBSV1



WBSV2-CG



WBSV3-TG

Large plate switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	<input type="checkbox"/> White	10	WBSV1
	<input checked="" type="checkbox"/> Black	10	WBSV1-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBSV1-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBSV1-TG
2 gang	<input type="checkbox"/> White	10	WBSV2
	<input checked="" type="checkbox"/> Black	10	WBSV2-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBSV2-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBSV2-TG
3 gang	<input type="checkbox"/> White	5	WBSV3
	<input checked="" type="checkbox"/> Black	5	WBSV3-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBSV3-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBSV3-TG
4 gang	<input type="checkbox"/> White	5	WBSV4
	<input checked="" type="checkbox"/> Black	5	WBSV4-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBSV4-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBSV4-TG
5 gang	<input type="checkbox"/> White	5	WBSV5
	<input checked="" type="checkbox"/> Black	5	WBSV5-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBSV5-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBSV5-TG
6 gang	<input type="checkbox"/> White	5	WBSV6
	<input checked="" type="checkbox"/> Black	5	WBSV6-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBSV6-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBSV6-TG



WBSH2

Large plate switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	<input type="checkbox"/> White	10	WBSH1
2 gang	<input type="checkbox"/> White	10	WBSH2
3 gang	<input type="checkbox"/> White	5	WBSH3

Architrave switches features

- WBSA1, WBSA2 and WBSA1-TG supplied with both a premiere and a visage cover for your choice
- Common cover and mounting centres
- Supplied with 12mm tapered point fixing screws

Fan controller features

- Fan Knobs cannot be removed once installed

Shaver outlet features

- 240V and 115V multi-pin outlets



Featured in all switch plates



WBSA1-TG

Architrave switches

Description	Available colours	Box qty	Cat ref.
1 gang	<input type="checkbox"/> White	10	WBSA1
	<input checked="" type="checkbox"/> Black	10	WBSA1-BK
	<input checked="" type="checkbox"/> Titanium Grey	10	WBSA1-TG
2 gang	<input type="checkbox"/> White	10	WBSA2
	<input checked="" type="checkbox"/> Black	10	WBSA2-BK
3 gang	<input type="checkbox"/> White	5	WBSA3
	<input checked="" type="checkbox"/> Black	5	WBSA3-BK



WBSF3

Other products

Description	Available colours	Box qty	Cat ref.
Fan controller 3 speed capacitance 250V 75A	<input type="checkbox"/> White	1	WBSF3
	<input checked="" type="checkbox"/> Black	1	WBSF3-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBSF3-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBSF3-TG
TV plate - PAL 75 OHM	<input type="checkbox"/> White	1	WBTV75
TV plate - 'F' to 'F' pay TV	<input type="checkbox"/> White	1	WBTV75PY
International shaver outlet	<input type="checkbox"/> White	1	WBHS
Permanent connection plate	<input type="checkbox"/> White	1	WBPPCU



WBHS

Features

- Removable surrounds for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm fixing screws
- High impact high gloss UV stabilised Polycarbonate

IP66 features

- 16A rated mechanism
- 2 way as standard
- Loop terminal as standard
- Terminals take 4 x 1.5mm² cable
- All IP66 switches can be mounted onto the WBBMI for surface mounting

- Designed to ensure IP66 when installed on suitable flat, smooth, non water absorbent surfaces
- Factory sealed IP tested gaskets
- IP rating maintained with sealing plugs in place



Featured in all switch plates



WBWSV3LFH-TG



WBWSV4LFHH-CG

IP66 large plate switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	<input type="checkbox"/> White	1	WBWSV1
	<input checked="" type="checkbox"/> Black	1	WBWSV1-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV1-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV1-TG
2 gang	<input type="checkbox"/> White	1	WBWSV2
	<input checked="" type="checkbox"/> Black	1	WBWSV2-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV2-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV2-TG
3 gang	<input type="checkbox"/> White	1	WBWSV3
	<input checked="" type="checkbox"/> Black	1	WBWSV3-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV3-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV3-TG
4 gang	<input type="checkbox"/> White	1	WBWSV4
	<input checked="" type="checkbox"/> Black	1	WBWSV4-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV4-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV4-TG
3 gang with Light/Fan/Heat printed mechs	<input type="checkbox"/> White	1	WBWSV3LFH
	<input checked="" type="checkbox"/> Black	1	WBWSV3LFH-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV3LFH-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV3LFH-TG
4 gang with Light/Fan/Heat/Heat printed mechs	<input type="checkbox"/> White	1	WBWSV4LFHH
	<input checked="" type="checkbox"/> Black	1	WBWSV4LFHH-BK
	<input checked="" type="checkbox"/> Charcoal Grey	1	WBWSV4LFHH-CG
	<input checked="" type="checkbox"/> Titanium Grey	1	WBWSV4LFHH-TG



WBWSH3LFH



WBWSH4LFHH-BK

IP66 large plate switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	<input type="checkbox"/> White	1	WBWSH1
	<input checked="" type="checkbox"/> Black	1	WBWSH1-BK
2 gang	<input type="checkbox"/> White	1	WBWSH2
	<input checked="" type="checkbox"/> Black	1	WBWSH2-BK
3 gang	<input type="checkbox"/> White	1	WBWSH3
	<input checked="" type="checkbox"/> Black	1	WBWSH3-BK
4 gang	<input type="checkbox"/> White	1	WBWSH4
	<input checked="" type="checkbox"/> Black	1	WBWSH4-BK
3 gang with Light/Fan/Heat printed mechs	<input type="checkbox"/> White	1	WBWSH3LFH
	<input checked="" type="checkbox"/> Black	1	WBWSH3LFH-BK
4 gang with Light/Fan/Heat/Heat printed mechs	<input type="checkbox"/> White	1	WBWSH4LFHH
	<input checked="" type="checkbox"/> Black	1	WBWSH4LFHH-BK

Sockets features

- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Rocker features in-built arc shield and has chemical resistant pivots
- Extra switch models fitted with 16AX mechanisms
- Hi impact high gloss UV stabilised Polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



Featured in all extra switches



WBP1S



WBP115S-BK



WBP1XS-CG



WBP1XXS-TG

Single Sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	<input type="checkbox"/> White	10	WBP1S
	<input checked="" type="checkbox"/> Black	10	WBP1S-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBP1S-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP1S-TG
15A	<input type="checkbox"/> White	5	WBP115S
	<input checked="" type="checkbox"/> Black	5	WBP115S-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP115S-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP115S-TG
20A	<input type="checkbox"/> White	5	WBP120
10A double pole	<input type="checkbox"/> White	10	WBP1DS
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP1DS-TG
15A	<input type="checkbox"/> White	5	WBP115DS
10A with extra switch	<input type="checkbox"/> White	5	WBP1XS
	<input checked="" type="checkbox"/> Black	5	WBP1XS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP1XS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP1XS-TG
10A with 2 extra switches	<input type="checkbox"/> White	5	WBP1XXS
	<input checked="" type="checkbox"/> Black	5	WBP1XXS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP1XXS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP1XXS-TG
10A with round earth pin	<input type="checkbox"/> White	5	WBP1R
	<input checked="" type="checkbox"/> Black	5	WBP1R-BK

Sockets features

- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Rocker features in-built arc shield and has chemical resistant pivots
- Extra switch models fitted with 16AX mechanisms
- Hi impact high gloss UV stabilised Polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



Featured in all extra switches



WBP2S



WBP2SUSB-BK

Double sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	<input type="checkbox"/> White	10	WBP2S
	<input checked="" type="checkbox"/> Black	10	WBP2S-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBP2S-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP2S-TG
	<input checked="" type="checkbox"/> Red	10	WBP2S-RD
10A double pole	<input type="checkbox"/> White	10	WBP2DS
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP2DS-TG
10A with extra switch	<input type="checkbox"/> White	5	WBP2XS
	<input checked="" type="checkbox"/> Black	5	WBP2XS-BK
10A with circuit id	<input type="checkbox"/> White	10	WBP2CID
	<input checked="" type="checkbox"/> Black	10	WBP2CID-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBP2CID-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP2CID-TG
	<input checked="" type="checkbox"/> Red	10	WBP2CID-RD
10A with 2 x 2.1A USB	<input type="checkbox"/> White	10	WBP2SUSB
	<input checked="" type="checkbox"/> Black	10	WBP2SUSB-BK
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP2SUSB-TG



WBP4S



WBP4XS-TG

4 outlet sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	<input type="checkbox"/> White	4	WBP4S
	<input checked="" type="checkbox"/> Black	4	WBP4S-BK
	<input checked="" type="checkbox"/> Charcoal Grey	4	WBP4S-CG
	<input checked="" type="checkbox"/> Titanium Grey	4	WBP4S-TG
	<input checked="" type="checkbox"/> Red	4	WBP4S-RD
10A with extra switch	<input type="checkbox"/> White	4	WBP4XS
	<input checked="" type="checkbox"/> Black	4	WBP4XS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	4	WBP4XS-CG
	<input checked="" type="checkbox"/> Titanium Grey	4	WBP4XS-TG
	<input checked="" type="checkbox"/> Red	4	WBP4XS-RD

Sockets features

- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Rocker features in-built arc shield and has chemical resistant pivots
- Extra switch models fitted with 16AX mechanisms
- Hi impact high gloss UV stabilised Polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



Featured in all extra switches



WBP1VS



WBP1VXS-BK

Single sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	<input type="checkbox"/> White	5	WBP1VS
	<input checked="" type="checkbox"/> Black	5	WBP1VS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP1VS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP1VS-TG
	<input checked="" type="checkbox"/> Red	5	WBP1VS-RD
15A	<input type="checkbox"/> White	5	WBP115VS
	<input checked="" type="checkbox"/> Black	5	WBP115VS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP115VS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP115VS-TG
10A with extra switch	<input type="checkbox"/> White	5	WBP1VXS
	<input checked="" type="checkbox"/> Black	5	WBP1VXS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP1VXS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP1VXS-TG
10A with 2 extra switches	<input type="checkbox"/> White	5	WBP1VXXS
	<input checked="" type="checkbox"/> Black	5	WBP1VXXS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP1VXXS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP1VXXS-TG



WBP2VS



WBP2VXS-TG

Double sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	<input type="checkbox"/> White	10	WBP2VS
	<input checked="" type="checkbox"/> Black	10	WBP2VS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBP2VS-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBP2VS-TG
10A with extra switch	<input type="checkbox"/> White	5	WBP2VXS
	<input checked="" type="checkbox"/> Black	5	WBP2VXS-BK
	<input checked="" type="checkbox"/> Charcoal Grey	5	WBP2VXS-CG
	<input checked="" type="checkbox"/> Titanium Grey	5	WBP2VXS-TG

Features

- Surrounds to fit to premiere range
- Easily removable for cleaning
- Manufactured from tempered glass, slate or polycarbonate



WBCG-MM

Decorative glass surrounds

Description	Available colours	Box qty	Cat ref.
Single decorative tempered glass surround	<input checked="" type="checkbox"/> Anthracite Coal	10	WBCG-AC
	<input checked="" type="checkbox"/> Mountain Mist	10	WBCG-MM
	<input checked="" type="checkbox"/> Arctic Ice	10	WBCG-AI



WBCS-SL

Decorative slate surrounds

Description	Available colours	Box qty	Cat ref.
Single decorative real slate surround	<input checked="" type="checkbox"/> Slate	10	WBCS-SL



WBCP-NB

Decorative polycarbonate surrounds

Description	Available colours	Box qty	Cat ref.
Single decorative 'glass effect' polycarbonate surround	<input checked="" type="checkbox"/> Midnight	10	WBCP-MT
	<input checked="" type="checkbox"/> Wild Mushroom	10	WBCP-WM
	<input checked="" type="checkbox"/> Nimbus	10	WBCP-NB
	<input checked="" type="checkbox"/> Aquamarine	10	WBCP-AM
	<input checked="" type="checkbox"/> Frost	10	WBCP-FR
Single decorative polycarbonate surround	<input checked="" type="checkbox"/> White	10	WBCP



WBCP-AM



WBC1Z-CH

Standard polycarbonate surrounds

Description	Available colours	Box qty	Cat ref.
Single product surround	<input checked="" type="checkbox"/> White	10	WBC1Z
	<input checked="" type="checkbox"/> Black	10	WBC1Z-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBC1Z-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBC1Z-TG
	<input checked="" type="checkbox"/> Chrome	10	WBC1Z-CH
2 product vertical surround	<input checked="" type="checkbox"/> White	10	WBC2V
	<input checked="" type="checkbox"/> Black	10	WBC2V-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBC2V-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBC2V-TG
	<input checked="" type="checkbox"/> Chrome	10	WBC2V-CH
2 product horizontal surround	<input checked="" type="checkbox"/> White	10	WBC2H
	<input checked="" type="checkbox"/> Black	10	WBC2H-BK
	<input checked="" type="checkbox"/> Charcoal Grey	10	WBC2H-CG
	<input checked="" type="checkbox"/> Titanium Grey	10	WBC2H-TG
	<input checked="" type="checkbox"/> Chrome	10	WBC2H-CH



WBC2V