

Datasheet

Edgelight LED Exit



CAT. NO. 659555LI, 659556LI, 659557LI, 659558LI, 659559LI, 659560LI, 659561LI, 659562LI, 659563LI, 659564LI, 659565LI, 659566LI, 659567LI, 659568LI, 659569LI



659556LI

Operation Mode	Maintained
Nominal Input Voltage	230 - 240 V a.c. 50 Hz
Light Source	LED
Battery	Li-ion 1.5 Ah, 12.8 V
Operating Temperature	10° C to 40° C
Power Consumption	3 W
Inrush Current	5 A (peak)
Body Construction	White powder-coated Zinc Steel
Diffuser	Inner: High quality Acrylic Outer: Screen printed medium density Opal Acrylic
IP Rating	IP20
Classification	C ₀ :D2.5 C ₉₀ :C40
Compliance	AS/NZS 60598, AS/NZS 2293
Product Marking	 

Edgelight LED Exit



CAT. NO. 659555LI, 659556LI, 659557LI, 659558LI, 659559LI, 659560LI, 659561LI, 659562LI, 659563LI, 659564LI, 659565LI, 659566LI, 659567LI, 659568LI, 659569LI




FEATURES

- Slim edge light design.
- Robust and easy to install.
- iSmart™ temperature sensing technology for the LIION battery.
- Electronics designed to lengthen the life of the battery, minimising maintenance costs.
- Environment friendly battery.
- Available in three installation options: Recessed, Suspended and Surface Mount.
- 5 Year Warranty.
- Designed and Manufactured in Australia.

DIMENSIONS

Recessed:




Note: All dimensions are in mm.

Edgelight LED Exit




CAT. NO. 659555LI, 659556LI, 659557LI, 659558LI, 659559LI, 659560LI, 659561LI, 659562LI, 659563LI, 659564LI, 659565LI, 659566LI, 659567LI, 659568LI, 659569LI

Surface Mounted:




Suspended:




*Edgelight Rod Suspension will require a Ø25 mm diameter rod kit (not included and is required) to allow the 10 m supplied cable to feed through and terminate at the Exit sign head.

Note: All dimensions are in mm.

Wall Bracket Accessory



L - Bracket Accessory



Note: All dimensions are in mm.

Cat. No.	Description	Cat. No.	Description	Cat. No.	Description
Recessed		Surface mounted		Suspended	
659555LI	EDGE LIGHT SS RMS LI	659560LI	EDGE LIGHT SS RMS LI	659565LI	EDGE LIGHT SS RMS LI
659556LI	EDGE LIGHT SS RML LI	659561LI	EDGE LIGHT SS RML LI	659566LI	EDGE LIGHT SS RML LI
659557LI	EDGE LIGHT SS RMR LI	659562LI	EDGE LIGHT SS RMR LI	659567LI	EDGE LIGHT SS RMR LI
659558LI	EDGE LIGHT DS RMS LI	659563LI	EDGE LIGHT DS RMS LI	659568LI	EDGE LIGHT DS RMS LI
659559LI	EDGE LIGHT DS RMLR LI	659564LI	EDGE LIGHT DS RMLR LI	659569LI	EDGE LIGHT DS RMLR LI
Accessories					
659457	EDGE LIGHT L- BRACKET - WHITE				
659458	EDGE LIGHT WALL BRACKET - WHITE				

RMS = Running Man Straight, RML = Running Man Left, RMR = Running Man Right, RMLR = Running Man Left/Right,
DS = Double-Sided, SS = Single-Sided, LI = Lithium battery

Legrand - Australia
1300 369 777
www.legrand.com.au
ABN 31 000 102 661

Legrand - New Zealand
0800 476 009
www.legrand.co.nz

Refer to your group buying office, Legrand Sales Representative or
Legrand Sales office for pricing.

Please note: specifications are subject to change without prior notice.