

# PRODUCT DATASHEET

## SPC.P OVEN FR 40 W 240 V E14

SPECIAL OVEN P | Incandescent lamps, classic mini-ball shape, for oven lighting



---

### AREAS OF APPLICATION

- Domestic baking ovens

---

### PRODUCT FEATURES

- Ambient temperature: up to 300 °C



**TECHNICAL DATA**

Electrical data

Nominal wattage	40.00 W
Nominal voltage	240 V
Rated wattage	40.00 W
Power factor $\lambda$	1.00


Photometrical data

Luminous flux	400 lm
Nominal luminous flux	400 lm
Rated luminous flux	400 lm
Rated color temperature	2700 K
Color temperature	2700 K
Color rendering index Ra	100
Color rendering index Ra	100

Light technical data

Starting time	0.0 s
---------------	-------

Dimensions & weight



Diameter	45.0 mm
Overall length	74.0 mm
Outer bulb	P45
Light center length (LCL)	53.0 mm
Length with base excl. base pins/connection	77.00 mm
Length	74.0 mm

Lifespan

Nominal lamp life time	1000 h
------------------------	--------

<b>Rated lamp life time</b>	1000 h
-----------------------------	--------

#### Additional product data

<b>Base (standard designation)</b>	E14
<b>Mercury content</b>	0.0 mg
<b>Mercury-free</b>	Yes

#### Capabilities

<b>Dimmable</b>	Yes
-----------------	-----

#### Certificates & standards

<b>Energy efficiency class</b>	E
<b>Energy consumption</b>	40 kWh/1000h

#### Country-specific categorizations

<b>ILCOS</b>	IBP/F-40-240-E14-45
--------------	---------------------

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300008486	Folding carton box 1	77 mm x 44 mm x 44 mm	21.00 g	0.15 dm <sup>3</sup>
4050300862682	Bundle 5	61 mm x 80 mm x 208 mm	105.00 g	1.02 dm <sup>3</sup>
4050300862699	Shipping carton box 50	456 mm x 87 mm x 231 mm	1215.00 g	9.16 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.