

# **PRODUCT DATASHEET**SPC.T OVEN CL 15 W 230 V E14

SPECIAL OVEN T | Incandescent lamps, tubular shape, for oven lighting



## **AREAS OF APPLICATION**

- Domestic baking ovens

### **PRODUCT FEATURES**

- Ambient temperature: up to 300 °C







# **TECHNICAL DATA**

# Electrical data


Nominal wattage	15.00 W
Nominal voltage	230 V
Rated wattage	15.00 W


## Photometrical data

Luminous flux	85 lm
Nominal luminous flux	85 lm
Rated luminous flux	85 lm
Color temperature	2700 K
Color rendering index Ra	100
Color rendering index Ra	100

# Light technical data

# Dimensions & weight





E14 IEC 7004-23

Diameter	22.0 mm
Overall length	50.0 mm
Outer bulb	S22
Light center length (LCL)	43.0 mm
Length with base excl. base pins/connection	50.00 mm
Length	50.0 mm

# Lifespan

Nominal lamp life time	1000 h
Rated lamp life time	1000 h

## Additional product data

Base (standard designation)	E14
Mercury content	0.0 mg
Mercury-free	Yes

## Capabilities

<b>5</b>	V.
Dimmable	Yes

### Certificates & standards

Energy efficiency class	Е
Energy consumption	15 kWh/1000h

## Country-specific categorizations

ILCOS	IBT/C-15-230-E14-22
1200	101/6 13 230 211 22

## **LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4050300003108	Folding carton box 1	68 mm x 28 mm x 29 mm	14.00 g	0.06 dm <sup>3</sup>
4050300554495	Bundle 10	176 mm x 71 mm x 218 mm	140.00 g	2.72 dm³
4050300554501	Shipping carton box 100	308 mm x 149 mm x 228 mm	1510.00 g	10.46 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.