

## Tool - UNIFOX-CE VDE - 1212203

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Combination pliers, angled design, with opening spring and locking device, cross-notched grip area, integrated M8 - M10 ring wrench, VDE 1000 V AC/1500 V DC tested

### Why buy this product

- ✓ Ergonomic handle design to eliminate fatigue when working
- ✓ Excellent transformation ratios for excellent gripping and cutting performance
- ✓ Noticeably less force required on the part of the user
- ✓ UNIFOX ... VDE-insulated combination pliers in straight and angled versions

### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| GTIN                                 | <br>4 046356 454193 |
| Weight per Piece (excluding packing) | 288.0 g                                                                                                 |
| Custom tariff number                 | 82032000                                                                                                |
| Country of origin                    | Germany                                                                                                 |

### Technical data

#### Dimensions

|            |        |
|------------|--------|
| Length (b) | 200 mm |
|------------|--------|

#### General

|               |                                  |
|---------------|----------------------------------|
| Color         | black                            |
| Test standard | DIN EN 60900 (VDE 0682 PART 201) |
|               | DIN ISO 5746                     |

#### Standards and Regulations

|               |                                  |
|---------------|----------------------------------|
| Test standard | DIN EN 60900 (VDE 0682 PART 201) |
|               | DIN ISO 5746                     |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 21040302 |
|------------|----------|

## Tool - UNIFOX-CE VDE - 1212203

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.1 | 21040302 |
| eCl@ss 5.0 | 21040302 |
| eCl@ss 5.1 | 21040302 |
| eCl@ss 6.0 | 21049011 |
| eCl@ss 7.0 | 21049011 |
| eCl@ss 8.0 | 90909090 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 2.0 | EC000142 |
| ETIM 3.0 | EC000142 |
| ETIM 4.0 | EC000836 |
| ETIM 5.0 | EC000836 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 23171604 |
| UNSPSC 7.0901 | 23171604 |
| UNSPSC 11     | 23171604 |
| UNSPSC 12.01  | 23171604 |
| UNSPSC 13.2   | 23171604 |

### Approvals

#### Approvals

---

##### Approvals

VDE Zeichengenehmigung / EAC

---

##### Ex Approvals

---

##### Approvals submitted

---

#### Approval details

|                                                                                                            |
|------------------------------------------------------------------------------------------------------------|
| VDE Zeichengenehmigung  |
|------------------------------------------------------------------------------------------------------------|

|     |
|-----|
| EAC |
|-----|

---

