

## Electrical crimping tool - CF CRIMPHANDY 1,5 - 1212466

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Portable hand-held machine, battery-powered, for processing reel ferrules, 1.5 mm<sup>2</sup> with function end, suitable for PVC insulated conductors (H07V-K), incl. battery, charger, one 1.5 mm<sup>2</sup> strip of ferrules, and charger, packed in a robust case.

### Why buy this product

- ✔ The product innovation for switchgear manufacturing – the CRIMPHANDY. You can strip and crimp your conductors in under two seconds using this portable hand-held machine. This step takes 75% less time than before.
- ✔ Consistently optimum results thanks to automatic monitoring functions
- ✔ Unlimited mobile use thanks to battery operation and magazine



### Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 589154
Weight per Piece (excluding packing)	1779.0 g
Custom tariff number	84672920
Country of origin	Germany
Note	Made to Order (non-returnable)

### Technical data

#### Dimensions

Length (b)	205 mm
Width (a)	43 mm
Height	70 mm
Conductor diameter area (GRP)	2.4 mm ... 3.1 mm

#### General

Color	black
Compression	Square crimp
Type of contact	Ferrules

# Electrical crimping tool - CF CRIMPHANDY 1,5 - 1212466

## Technical data

### General

Conductor type	PVC H07V-K
----------------	------------

## Classifications

### eCl@ss

eCl@ss 4.0	21040301
eCl@ss 4.1	21040301
eCl@ss 5.0	21040301
eCl@ss 5.1	21040301
eCl@ss 6.0	17130101
eCl@ss 7.0	17130101
eCl@ss 8.0	17130101

### ETIM

ETIM 4.0	EC000163
ETIM 5.0	EC002778

### UNSPSC

UNSPSC 6.01	27112118
UNSPSC 7.0901	27111518
UNSPSC 11	23171604
UNSPSC 12.01	27111518
UNSPSC 13.2	27111518

## Approvals

### Approvals

---

#### Approvals

EAC

---

#### Ex Approvals

---

#### Approvals submitted

---

### Approval details

EAC
-----

---

