

Rittal – The System.

Faster – better – everywhere.

Ergoform-S lock system – SZ 2435.000

Date : Aug 2, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Ergoform-S lock system – SZ 2435.000

created: 02.08.2016 build on www.rittal.com/au-en



Product description

Description:	The unlocked handle folds down forwards, and the lock is opened by swivelling.
Material:	Die-cast zinc
Surface finish:	Powder-coated
Colour:	RAL 7035
Packs of:	1 pc(s).
EAN:	4028177023024
Customs tariff number:	83024110
eCl@ss 5.1:	27189220
eCl@ss 7.0:	27189266
ETIM 6.0:	EC000327

Product features

Design:	Standard Note: Prepared for the installation of semi-cylinders with a total length of 40 or 45 mm (to DIN 18 252)
To fit:	Enclosure type: AE with 3-point lock

Enclosure type: Based AE with 3-point lock
Enclosure type: Wall-mounted enclosure AE with 3-point lock
Enclosure type: TP pedestals
Enclosure type: One-piece console TP - Console door
Enclosure type: TP universal console
Enclosure type: AE with stainless steel 3-point lock
Enclosure type: Based on AE with stainless steel 3-point lock
Enclosure type: One-piece console - stainless steel door
Enclosure type: TE

Weight/pack:	0.5 kg
---------------------	--------

Downloads

Documentation:	 Instructions (EN, DE)
-----------------------	---

CAD drawings:	Request
----------------------	---------
