

# Rittal – The System.

Faster – better – everywhere.

► **Pole clamp for KL,  
EB, BG, AE, KS and  
CS wall-mounted  
enclosures – SZ  
2584.000**

Date : Aug 3, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Pole clamp for KL, EB, BG, AE, KS and CS wall-mounted enclosures – SZ 2584.000

created: 03.08.2016 build on www.ittal.com/au-en



## Product description

**Description:** For reliable, convenient fastening to round or square poles.

**Applications:** For pole diameter: Ø from 40 to 190 mm  
For pole size: □ from 50 to 150 mm

**Material:** Mounting angles, clamping section: Sheet steel  
Clamping strap: Stainless steel 1.4301 (AISI 304)

**Surface finish:** Mounting angle, clamping section: Zinc-plated

**Supply includes:** 2 mounting angles, 600 mm long  
2 clamping straps  
4 clamping brackets  
4 screws and captive nuts M8 for mounting on the enclosure.  
4 clamping sections

**Packs of:** 1 pc(s).

**EAN:** 4028177028760

**Customs tariff number:** 83024900

**eCl@ss 5.1:** 27189234

**eCl@ss 7.0:** 27182405

**ETIM 6.0:** EC002625

## Product features

---

<b>To fit:</b>	Enclosure type: KL Enclosure type: EB Enclosure type: BG Enclosure type: AE Enclosure type: KS Enclosure type: CS wall-mounted enclosures
<b>Installation options:</b>	Designed for 600 mm wide enclosures By cutting the rail to length or drilling additional holes on the enclosure, the pole attachment may also be fitted to larger and smaller enclosures
<b>Weight/pack:</b>	2 kg

---

## Downloads

---

<b>Documentation:</b>	 <a href="#">Instructions (EN, DE)</a>  <a href="#">Load brochure (EN, DE)</a>
<b>CAD drawings:</b>	Request

---