

Rittal – The System.

Faster – better – everywhere.

► One-piece consoles Stainless steel – TP 2684.600

Date : Aug 3, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP








One-piece consoles Stainless steel – TP 2684.600

created: 03.08.2016 build on www.rittal.com/au-en



Product description

Material:	Enclosure: Stainless steel 1.4301 (AISI 304), 1.5 mm Door or double door and console lid: Stainless steel 1.4301 (AISI 304), 2.0 mm Mounting plate: Sheet steel 3.0 mm
Surface finish:	Enclosure, door, console lid and gland plates: Brushed, grain 120 Mounting plate: Zinc-plated
Protection category IP to IEC 60 529:	IP 55
Protection category NEMA:	NEMA 12
Supply includes:	Enclosure, solid back and sides Door or double door at front, with locking rod Console lid with lid stay and cam lock latched in the enclosure Locks with double-bit insert Gland plates, divided Mounting plate
Product modification:	As of the production date 01/03/15, the mounting plates in the stainless steel one-piece consoles are no longer delivered pre-assembled, but supplied loose on the outer rear wall of the enclosure. The benefit to you: This eliminates the need to dismantle the mounting plate for machining.
Packs of:	1 pc(s).
EAN:	4028177031357
Customs tariff number:	94032080
eCl@ss 5.1:	27180503

eCl@ss 7.0:	27180504
ETIM 6.0:	EC000784
Basic material:	Sheet steel
Product features	
Dimensions:	Width: 800 mm Height: 960 mm Depth (top): 480 mm Depth (bottom): 400 mm
Mounting plate:	Width: 730 mm Height: 780 mm
Number of doors:	1
Weight/pack:	65.2 kg
Approvals	
Approvals:	 CSA (EN)  Russian Maritime Register of Shipping (EN)  TUV (DE)  UL (EN)
Downloads	
Data sheets:	 Technical details EN
CAD drawings:	Request