

Rittal – The System.

Faster – better – everywhere.

► Side panels, screw-fastened, sheet steel for TS, TS IT – TS 8170.235

Date : Aug 3, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Side panels, screw-fastened, sheet steel for TS, TS IT – TS 8170.235

created: 03.08.2016 build on www.rittal.com/au-en



Product description

Benefits:	Automatic potential equalisation and higher EMC protection due to enclosure panel holders with earthing insert Easy positioning with the location aid Earthing bolt with contact surface
------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Material:	Sheet steel, 1.5 mm
------------------	---------------------

Surface finish:	dipcoat-primed, powder-coated on the outside
------------------------	----------------------------------------------

Colour:	RAL 7035
----------------	----------

Protection category IP to IEC 60 529:	IP 55
--------------------------------------------------	-------

Supply includes:	Assembly parts
-------------------------	----------------

Note:	Enclosure panel holders may optionally be fitted from the inside or outside of the enclosure Area available for population: External dimension – 100 mm
--------------	------------------------------------------------------------------------------------------------------------------------------------------------------------

Packs of:	2 pc(s).
------------------	----------

EAN:	4028177244283
-------------	---------------

Customs tariff number:	94039010
-----------------------------------	----------

eCl@ss 5.1:	27182101
--------------------	----------

eCl@ss 7.0:	27182101
-------------	----------


ETIM 6.0:	EC002524
-----------	----------

Product features

To fit:	Enclosure type: TS Enclosure type: TS IT Height: = 1200 mm Depth: = 600 mm
---------	-------------------------------------------------------------------------------------

Weight/pack:	17.8 kg
--------------	---------

Downloads

Documentation:	 Instructions FR, EN, DE
----------------	------------------------------------------------------------------------------------------------------------------------------

CAD drawings:	Request
---------------	---------