

Rittal – The System.

Faster – better – everywhere.

Hinges for side panel, screw-fastened, sheet steel – TS 8800.110

Date : Aug 4, 2016

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP




Hinges for side panel, screw-fastened, sheet steel – TS 8800.110

created: 04.08.2016 build on www.rittal.com/au-en



Product description

Description:	The 180° opening angle allows unhindered access. Optionally installed either from the inside or outside of the enclosure.
Benefits:	Despite the hinge, the protection category of the enclosure is retained
Applications:	Replace the 3 enclosure panel holders with hinges
Material:	Die-cast zinc
Colour:	RAL 7035
Supply includes:	Assembly screws
Note:	Side panel and door hinges may only be installed on the same enclosure section when using a 180° door hinge Caution! Hinged and non-hinged side panels, doors and rear panels must always be opposite one another. Only one surface of each vertical enclosure section is available for mounting (hinges of the side panel).
Packs of:	6 pc(s).
EAN:	4028177246997
Customs tariff number:	83024900
eCl@ss 5.1:	27182101

eCl@ss 7.0:	27182101
ETIM 6.0:	EC001167
Product features	
To fit:	Enclosure type: TS Enclosure type: TS IT
Weight/pack:	0.97 kg
Downloads	
Documentation:	 Info sheet (EN, DE)
CAD drawings:	Request