



MR16DIM DIMMABLE - 9W

Dimmable 9 watt - MR16 profile LED 12V AC-DC

Application

Ideal for any residential interior space

Design Specifications

- Shockproof frosted polycarbonate lens
- Die cast grey aluminium body
- High efficiency LED optics, CRI>80
- Dimmable only with SAL MINI60 driver
- Beam distribution 60°, CCT choice of 3000K / 4000K / 5700K
- Lamp base GU5.3

Performance

- Dimmable - **YES**
- Dimmer Type - **SAL MINI60 only**



Technical Specification


Product	Model No.	Input Voltage (V/AC)	Input Voltage (V/DC)	Power (W)	Lumens (lm)	CCT (K)
	MR16DIM9WW	12	12	9	550	3000
	MR16DIM9CW	12	12	9	550	4000
	MR16DIM9DL	12	12	9	550	5700



CRI	Beam Angle (°)	Dimmable	Base Type
80	60	YES	GU5.3
80	60	YES	GU5.3
80	60	YES	GU5.3

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions



THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY
MATCH THE
UNIFIT SFI
DOWNLIGHT
WITH THIS
SDD400SFI
DIMMER.**



**DIM with
FLICKER
CONTROL**

For related
products
please
scan me

