

37RU 600MM WIDE & 800MM DEEP

FULLY ASSEMBLED FREE STANDING SERVER CABINET

PART NUMBER: CBN-37RU-68FS BAR CODE: 9350784001283







Multiple cable entry glands at the top



Ample cable entry glands at the bottom



Nylon bush lining in all cable entry glands to protect from wear and tear



Earth straps on front and rear doors



Pre-installed lockable castors and stablising feet



Included roof fan kit



Earth bolt on side panel



Split side panel

PRODUCT DESCRIPTION

Serveredge CBN-37RU-68FS fully assembled server racks are a perfect solution for securely storing your standard 19inch rack mount equipment. This free-standing rack has been especially designed for use with Servers, Switches, AV Equipment, Security Systems, Telephone Systems, Patch Panels and other Networking Equipment. This Serveredge rack is packed with features designed to simplify rack equipment installations and maintenance. The server rack ships fully assembled for quick installation and comes with a 25-year manufacturer's warranty*.

GUARANTEE/WARRANTY

Serveredge products are manufactured at the highest standards using highest quality materials at an affordable price. This Serveredge product comes with 25 Years Warranty for that extra piece of mind. Subject to Serveredge Terms and Conditions*



PRODUCT INCLUDES

8 Way Horizontal PDU: (8) 3 Pin AUS GPO Output; (1) 3 Pin Aus Plug Input , 10A, 240V	× 1
4 Way Roof Mount Fan	×1
Fixed Shelves (550mm Deep)	× 3
Lockable Castors	× 4
Stabilizing Feet	× 4
Adjustable 19inch Mounting Rails	× 4
Keys	× 2
Heavy Duty M6 Cage Nuts, Washer & Screw	× 40
Split Perforated Mesh Door	× 1
Front Tempered Glass Door	×1
Split Lockable Side Panels	× 2
Grounding Lugs - Front Door, Rear Door, Side Panels	
Earth Straps - Front Door & Rear Door	
L Brackets (For Pallet/Floor Mounting)	× 2

PRODUCT FEATURES

- Designed for IT, Audio Visual, Security and Data equipment
- Ships fully assembled for quick installation
- 1000Kg of stationary load capacity
- Pre-installed lockable castors
- Levelling feet extend to allow enclosure to be positioned on uneven floors and are removable when not required
- Convenient grounding system with grounding lugs on doors and side panels
- Earth straps on front and rear doors
- Built in baying tabs allow enclosures to be combined securely in rows (*Baying kit needs to be purchased separately)
- Includes (3) fixed shelves with 550mm depth
- Locking front glass door and rear split perforated mesh door
- Locking and removable side panels for easy access
- Includes L brackets for floor mounting or pallet mounting for shipment
- Nylon Bush lined cable entry glands at top and bottom to protect cables from wear and tear
- Conforms to Standard ANSI/EIA RS-31 -D, IEC297-2, DIN4191; PART1, DIN 4194;PAT7, GB/T3 47M 2-92*
- 25-year warranty* See T&Cs

PRODUCT SPECIFICATION

Rack Height	37RU
Shipping Dimensions (WDH/mm)	650 × 850 × 1890
Shipping weight (kg)	106
Unit Dimensions (WDH/mm)	600 × 800 × 1840
Unit weight (kg)	101
Colour	Black
Weight Capacity - Stationary (kg)	1000
Grounding lug	Front and Back Door Frames
Fixed Shelves depth (mm)	550
Preset Mounting Distance (front to rear mounting rails) (mm)	505
Maximum Mounting Distance (front to rear mounting rails) (mm)	705
Minimum Mounting Distance (front to rear mounting rails) (mm)	145

SERVER RACK ACCESSORIES



1RU HORIZONTAL 5 RINGS METAL CABLE MANAGEMENT RAIL

PART NUMBER: CMR-01-5R, CMR-01-4R



1RU HORIZONTAL 12 SLOTS METAL CABLE MANAGEMENT RAIL

PART NUMBER : CMR-01-12



1RU HORIZONTAL 24 SLOTS CABLE MANAGEMENT RAIL

PART NUMBER: CMR-1RU-24, CMR-2RU-24



18RU, 22RU Vertical Cable/PDU Tray - 150mm Wide

PART NUMBER : CT-150-XXRU (XX = RU Number 18, 22, 27, 32, 37, 42, 45)



XXRU 19" BLANKING PANEL

PART NUMBER : **BP-XX** (XX = Number 01, 02, 03, 04)



XXRU 19" VENTED BLANKING PANEL

PART NUMBER : BP-XXV (XX = Number 01, 02, 03, 04)



4 Way Fan Kit with Thermostat - 1RU Rack Mountable

PART NUMBER: RMF4PTK, RMF2PTK



Heavy Duty M6 Cage Nuts, Washer & Screw Set: Pack of 100: BLACK

PART NUMBER: CB-1P-BK-50, CB-1P-BK-100



Cabinet Baying Kit

PART NUMBER: BKSC