

## Item (Detail view)





Triple-deck terminal block; 6-conductor ground terminal block; PE; without marker carrier: green-vellow housing: internal commoning: suitable for Ex e II applications





Item no.	2002-3207 💷 🖫 GTIN /	4044918691277
----------	----------------------	---------------

Content 1 piece Order unit piece

Order | Increase | (50, 100, 150, 200, in order |

quantity and quantity ...)

Customer Customs tem no. Customs 85369010000

Customs

duty for the DE Available -

country of

origin

List price On request Net price On request

Availability On request

Note: Some items may not be available from your local WAGO company.

Please note that the quantities ordered in the shopping cart are rounded up to the PU (SPU).

Triple-deck terminal block; 6-conductor ground terminal block; PE; without marker carrier; green-yellow housing; internal commoning; suitable for Ex e II applications

RoHS ✓ Compliant

Articledeta	ails Approbat	tions	Downloads	Accessories		
Description Remarks	Triple-deck terminal block; 6-conductor ground terminal block; PE; without marker carrier; green-yellow housing; internal commoning; suitable for Ex e II applications  marks					
Item properties	Miscellaneous					
	Name	Value	Unit			
	Total number o connection points	f 6				
	Total number o potentials	f <sub>1</sub>				
	Number of levels	3				
	Color Ratings according to 1	green-y IEC/EN 7-2				
	Connection technology (1)	Push-in CLAMP <sup>®</sup>				
	Nominal cross section 1	2.5 mm	2			
	Solid sizes 1	0.25 4 22 12	4 mm² / 2 AWG			
	Fine-stranded wires 1	0.25 · 22 12	4 mm² / 2 AWG			
	Strip length 1	10 12 0.39	•			
	Type of wiring	Front-ei wiring	ntry			
	Design	horizont	tal			

Marking level

## Triple-deck terminal block; 6-conductor ground terminal block; PE; without marker carrier; green-yellow housing; internal commoning; suitable for Ex e II applications

	Center/Side marking	
Insulating material	PA 6.6 V0	
Fire load [MJ] Weight [g]	0.314 20.5	MJ g
Width	5.2 mm / 0.205 in	
Height from upper-edge of DIN-rail	69.5 mm / 2.736 in	
Length	93.3 mm / 3.673 in	
Type of mounting	DIN 35 rail	

**Upwards**