A NEW FORCE IN CHEMICAL MANUFACTURING Unit 2, 14-16 Lee Holm Road St Marys NSW 2760 Australia Ph: 1300 738 250 (Australia) Ph: +61 2 9833 9766 (International) Fax: 02 9623 3670 Sales@chemtools.com.au www.chemtools.com.au

SAFETY DATA SHEET

ISSUED SEPTEMBER 2014 (VALID 5 YEARS FROM DATE OF ISSUE)

8222 LOW STRENGTH THREADLOCKER

SECTION 1 - IDENTIFICATION OF THE MATERIAL

Chemtools Pty Ltd Phone: 1300 738 250 (business hours)
Unit 2/14-16 Lee Holm Road Fax: 02 9623 3670
St Marys NSW 2760 www.chemtools.com.au

Product Name: Low Strength Threadlocker

Product Type: Anaerobic Adhesive

Part Number: 8222

Available Sizes: 8222-10 (10 ml)

8222-50 (50 ml) 8222-250 (250 ml)

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS#	%	ACGIH TLV	OSHA PEL
Polyglycol Dimethacrylate	25852-47-5	60 - 100	None	None
Saccharin	81-07-2	1 - 5	None	None
Silica - amorphous, fumed, crystalline-free	112945-52-5	1-5	6 mg/m ³ TWA	10 mg/m ³ TWA
Cumene Hydroperoxide	80-15-9	1 - 5	None	None
Propylene Glycol	57-55-6	1 - 5	None	None

SECTION 3 - HAZARDS IDENTIFICATION

Relevant Routes of Exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: May cause respiratory tract irritation.

Skin Contact: May cause allergic skin reaction. May cause skin irritation.

Eye Contact: Contact with eyes will cause irritation. **Ingestion:** Not expected to be harmful by ingestion.

HMIS:

Health: 1 Reactivity: 1 Flammability: 1 PPE: H

Warnings: Causes eye irritation. May cause skin irritation. May cause allergic skin reaction.

May cause respiratory tract irritation.

SECTION 4 - FIRST AID MEASURES

Inhalation:Remove to fresh air. If symptoms develop and persist, get medical attention.Skin Contact:Wash with soap and water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably, lukewarm water for at least

15 minutes, holding eyelids open all the time. Get medical attention.

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point: Greater than 93°C (200°F) Cleveland Closed Cup

Autoignition Temperature: Not available

Flammable/Explosive Limits - Lower %: 2.6% (Propylene Glycol)
Flammable/Explosive Limits - Upper %: 12.5% (Propylene Glycol)

Extinguishing Media: Foam, dry chemical, or Carbon Dioxide.

Special Fire Fighting Procedures: None Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: Oxides of Carbon. Oxides of Sulphur. Oxides of Nitrogen.

Irritating organic vapours.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Environmental Precautions: Prevent product from entering drains or open waters.

Clean-up Methods: Soak up with inert absorbent. Store in a partly filled, closed container

until disposal.

SECTION 7 - HANDLING AND STORAGE

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapour and

mist. Wash thoroughly after handling.

Storage: For safe storage, store at or below 38°C (100°F). Keep in a cool, well

ventilated area away from heat, sparks and open flame. Keep container

tightly closed until ready for use.

Incompatible Products: Refer to Section 10 - Stability and Reactivity

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: No specific ventilation requirements noted, but forced ventilation may

still be required if concentrations exceed occupational exposure limits.

Respiratory Protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent

skin contact. Neoprene gloves. Butyl rubber gloves. Natural rubber

gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields.

Exposure Limits: Refer to Section 2 - Composition/Information on Ingredients

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State:LiquidColour:PurpleOdour:Mild

Vapour Pressure: Less than 5 mm Hg at 27°C (80°F)

pH: Not applicable

Boiling Point/Range: Greater than 149°C (300°F)

Melting Point/Range:Not availableSpecific Gravity:1.1 at 23.9°C (75°F)Vapour Density:Not availableEvaporation Rate:Not available

Solubility in Water: Slight

VOC Content: 4.39%; 48.6 grams/litre (EPA Method 24)

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Oxides of Carbon. Oxides of Sulphur. Oxides of Nitrogen.

Irritating organic vapours.

Incompatibility: Strong oxidizers. Free radical initiators. Strong reducing agents.

Alkalise. Oxygen scavengers. Other polymerisation initiators.

Copper. Iron. Zinc. Aluminium. Rust.

Conditions to Avoid: Refer to Section 7 - Handling and Storage

Refer to 'Incompatibility', this section, above

SECTION 11 - TOXICOLOGICAL INFORMATION

Product Toxicity Data: Acute oral LD50 greater than 10, 000 mg/kg (rat)

Acute dermal LD50 greater than 5000 mg/kg (rabbit)

Carcinogen Status:

Hazardous Components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen
Polyglycol Dimethacrylate	No	No	No
Polyglycol Oleate	No	No	No
Saccharin	No	No	No
Silica - amorphous, fumed, crystalline-free	No	No	No
Cumene Hydroperoxide	No	No	No
Propylene Glycol	No	No	No

SECTION 12 - ECOLOGICAL INFORMATION

Ecological Information: Not available

SECTION 13 - DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Dispose of according to Federal, State and local governmental

regulations.

EPA Hazardous Waste Number:Not an RCRA hazardous waste.

SECTION 14 - TRANSPORT INFORMATION

U.S. Department of Transportation Ground (49 CFR):

Proper shipping name: Unrestricted

Hazard class or division:
Identification number:
Packing group:
None

International Air Transportation (ICAO/IATA):

Proper shipping name: Unrestricted

Hazard class or division: None

Identification number:NonePacking group:None

Water Transportation (IMO/IMDG):

Proper shipping name: Unrestricted

Hazard class or division:
Identification number:
Packing group:
Marine pollutant:
None

SECTION 15 - REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic

Substances Control Act Inventory.

TSCA 12 (b) Export Notification: None

CERCLA/SARA Section 302 EHS: None above reporting de minimus

CERCLA/SARA Section 311/312: Immediate Health Hazard, Delayed Health Hazard

CERCLA/SARA 313: This product contains the following toxic chemical/s subject to the

reporting requirements of section 313 of the Emergency Planning and

Community Right-To-Know Act of 1986 (40 CFR 372):

- Cumene Hydroperoxide (CAS# 80-15-9)

California Proposition 65: This product contains the following chemical/s known to the State of

California to cause cancer and birth defects or other reproductive harm:

- 1, 4-Dioxane (CAS# 123-91-1)- Ethylene Oxide (CAS# 75-21-8)- Arsenic (CAS# 7440-38-2)

- Lead (CAS# 7439-92-1)

DISCLAIMER

The information contained within this MSDS applies only to the Chemtools product to which the sheet relates.

The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either expressed or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way. They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.