A NEW FORCE IN CHEMICAL MANUFACTURING Unit 2, 14-16 Lee Holm Road Ph: 1300 738 250 (Australia) St Marys NSW 2760 CHEMTOOLS Australia Fax: 02 9623 3670

sales@chemtools.com.au Ph: +61 2 9833 9766 (International) www.chemtools.com.au

SAFETY DATA SHEET

ISSUED SEPTEMBER 2014 (VALID 5 YEARS FROM DATE OF ISSUE)

8401 SURFACE INSENSITIVE ETHYL CYANOACRYLATE ADHESIVE

SECTION 1 - IDENTIFICATION OF THE MATERIAL

Phone: 1300 738 250 (business hours) Chemtools Pty Ltd Unit 2/14-16 Lee Holm Road Fax: 02 9623 3670 St Marys NSW 2760 www.chemtools.com.au

Product Name: Surface Insensitive Ethyl Cyanoacrylate Adhesive

Cyanoacrylate Adhesive **Product Type:**

Part Number: 8401

Available Sizes: 8401-20 (20 g)

> 8401-50 (50 g) 8401-500 (500 g)

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS#	%	ACGIH TLV	OSHA PEL
Ethyl Cyanoacrylate Ester	7085-85-0	90 - 95	0.2 ppm TWA	None
Hydroquinone	123-31-9	0.1 - 1	2 mg/m³ TWA	2 mg/m ³ TWA 4 mg/m ³ STEL

SECTION 3 - HAZARDS IDENTIFICATION

Hazard Classification: Hazardous according to the classification of NOHSC. This material is

classified as Irritant (Xi)

Risk Phrases: R36/37/38 - Irritating to eyes respiratory system and skin

R20/22 - Harmful by inhalation, and if swallowed

R36/38 - Irritating to eyes and skin

R67 - Vapours may cause drowsiness and dizziness

Safety Phrases: S2 - Keep out of reach of children

S23 - Do not breathe vapour

S24/25 - Avoid contact with skin and eyes

S26 - In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice

S28 - After contact with skin, wash immediately with plenty of soap suds

S37/39 - Wear suitable gloves and eye/face protection

S46 - If swallowed, seek medical advice immediately and show this

container or label

Relevant Routes of Exposure: Skin, Inhalation, Eyes

Potential Health Effects

Inhalation: May cause respiratory tract irritation. **Skin contact:** May cause allergic skin reaction. May cause skin irritation or burns. Bonds

skin rapidly and strongly.

Eye contact: Contact with eyes will cause irritation. Vapour irritating to eyes and

mucous membranes TLV.

Ingestion: Not expected to be harmful by ingestion.

SECTION 4 - FIRST AID MEASURES

Inhalation: Remove to fresh air. If symptoms develop and persist, get medical attention.

Skin Contact: Wash with soap and water. Remove contaminated clothing and shoes. Wash

clothing before reuse. Get medical attention if symptoms occur.

Eye Contact: Flush with copious amounts of water, preferably lukewarm water for at least 15

minutes, holding eyelids open all the time. Get medical attention.

Ingestion: DO NOT induce vomiting. Keep individual calm. Obtain medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point: Greater than 70°C (160°F) Tag Closed Cup

Autoignition Temperature: Not available
Flammable/Explosive Limits - Lower %: Not determined
Flammable/Explosive Limits - Upper %: Not determined

Extinguishing Media: Foam, dry chemical, or Carbon Dioxide

Special Fire Fighting Procedures: None Unusual Fire or Explosion Hazards: None

Hazardous Combustion Products: Oxides of Carbon. Oxides of Nitrogen. Irritating organic vapours.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Environmental Precautions: Polymerise with water and scrape up. Use PPE if spill is large.

Prevent product from entering drains or open waters.

Soak up with inert absorbent material (eg, sand, earth, vermiculita). Store in a partly filled closed container until

vermiculite). Store in a partly filled closed container until disposal. Dispose of solid residues in accordance with relevant

State and Federal requirements.

SECTION 7 - HANDLING AND STORAGE

Clean-up Methods:

Handling: Avoid contact with eyes, skin and clothing. Avoid breathing vapour and

mist. Wash thoroughly after handling.

Storage: For safe storage, store at or below 24°C (75°F). Keep in a cool, well

ventilated area away from heat, sparks and open flame. Keep container

tightly closed until ready for use.

Incompatible Products: Refer to Section 10 - Stability and Reactivity

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: No specific ventilation requirements noted, but forced ventilation may

still be required if concentrations exceed occupational exposure limits.

Respiratory Protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Skin Protection: Use impermeable gloves and protective clothing as necessary to prevent

skin contact. Neoprene gloves. Butyl rubber gloves. Natural rubber

gloves.

Eye/Face Protection: Safety goggles or safety glasses with side shields.

Exposure Limits: Refer to Section 2 - Composition/Information on Ingredients

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Colour: Clear
Odour: Mild

Vapour Pressure: Less than 5 mm Hg at 27°C (80°F)

pH: Not applicable

Boiling Point/Range: Greater than 149°C (300°F)

Melting Point/Range:Not availableSpecific Gravity:1.1 at 23.9°C (75°F)Vapour Density:Not availableEvaporation Rate:Not available

Solubility in Water: Slight. Polymerises in the presence of water.

SECTION 10 - STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur

Hazardous Decomposition Products: Oxides of Carbon. Oxides of Nitrogen. Irritating organic vapours. **Incompatibility:** Strong oxidizers. Free radical initiators. Strong reducing agents.

Alkalies. Oxygen scavengers. Other polymerisation initiators.

Copper. Iron. Zinc. Aluminium. Rust.

Conditions to Avoid: Refer to *Section 7 - Handling and Storage*

Refer to 'Incompatibility', this section, above

SECTION 11 - TOXICOLOGICAL INFORMATION

Acute

Ingestion: Cyanoacrylates are considered to have relatively low toxicity. This material will rapidly

polymerise in the mouth.

Skin: Irritating to the skin. Bonds skin rapidly.

Eyes: Contact with the eyes will cause irritation. The material will bond eyelids. In a dry

atmosphere, vapours may irritate the eyes.

Inhalation: Inhalation of vapours can cause respiratory irritation.

Chronic

Prolonged exposure to high concentrations of vapours may lead to chronic effects in sensitive individuals.

Product toxicity data: Acute oral LD50 greater than 5,000 mg/kg (rat)

Acute dermal LD50 greater than 2,000 mg/kg (rabbit)

SECTION 12 - ECOLOGICAL INFORMATION

Do not allow material to contaminate the soil or waterways.

SECTION 13 - DISPOSAL CONSIDERATIONS

Recommended method of disposal: Dispose of according to Federal, State, and local government

regulations.

EPA hazardous waste number:Not an RCRA hazardous waste.

SECTION 14 - TRANSPORT INFORMATION

Not classified as Dangerous Goods according to the criteria of the Australian Code for the transport of Dangerous Goods by Road and Rail (ADG Code).

Classified as Dangerous Goods for air transport only. The appropriate air transport requirements shall apply.

UN Number: 3334

Proper Shipping Name: Aviation Regulated Liquid, N.O.S. (Contains Cyanoacrylate Ester)

Class: 9
Packing Group: Hazchem Code: -

SECTION 15 - REGULATORY INFORMATION

SUSDP Poison Schedule: 5

SECTION 16 - OTHER INFORMATION

Abbreviations/Acronyms: NOHSC - National Occupational Health and Safety Commission

NIOSH - National Institute of Occupational Health and Safety ACGIH - American Conference of Government Industrial Hygienists SUSDP - Standard for the Uniform Scheduling of Drugs and Poisons

TWA - Time Weighted Average TLV - Threshold Limit Value STEL - Short Term Exposure Limit PEL - Permissible Exposure Limit

DISCLAIMER

The information contained within this MSDS applies only to the Chemtools product to which the sheet relates.

The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either expressed or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way. They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.