



## A NEW FORCE IN CHEMICAL MANUFACTURING

Unit 2, 14-16 Lee Holm Road  
St Marys NSW 2760  
Australia

Ph: 1300 738 250 (Australia)  
Ph: +61 2 9833 9766 (International)  
Fax: 02 9623 3670

sales@chemtools.com.au  
www.chemtools.com.au

# SAFETY DATA SHEET

ISSUED SEPTEMBER 2014 (VALID 5 YEARS FROM DATE OF ISSUE)

## R60 SILICONE (REVIVE-IT) AEROSOL

### SECTION 1 - IDENTIFICATION OF THE MATERIAL

Chemtools Pty Ltd  
Unit 2/14-16 Lee Holm Road  
St Marys NSW 2760

Phone: 1300 738 250 (business hours)  
Fax: 02 9623 3670  
www.chemtools.com.au

**PRODUCT NAME** Silicone Revive-It Aerosol  
**PRODUCT TYPE** Lubrication/Anticorrosion Treatment  
**PART NUMBER** CT-R60-400  
**AVAILABLE SIZES** 400g

### SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS #	%	HSIS TWA	HSIS STEL
Petroleum Hydrocarbons	68334-30-5	<60		
Polymethyl disiloxane	63148-62-9	<60		
Hydrocarbon Propellant	68476-85-7	10-30	1000ppm 1800mg/m <sup>3</sup>	

### SECTION 3 - HAZARDS IDENTIFICATION

**Hazard Classification:** Non-Hazardous Substance. According to the criteria of SafeWork Australia. Classified as Dangerous Goods according to the ADG Code.

**Risk Phrases:**  
R12 - Extremely flammable.  
R65 - Harmful: May cause lung damage if swallowed.  
R66 - Repeated exposure may cause skin dryness or cracking.

**Safety Phrases:**  
S20 - When using do not eat or drink  
S21 - When using do not smoke  
S51 - Use only in well ventilated areas.  
S24/25 - Avoid contact with skin and eyes.

**Relevant routes of exposure:** Skin, Inhalation, Eyes

**Potential Health Effects**

**Inhalation:** May cause respiratory tract irritation. High concentrations of vapours may cause headache, fatigue, drowsiness and dizziness.

**Skin contact:** May cause allergic skin reaction. May cause skin irritation. Product has a defatting effect on skin. Prolonged contact may cause dryness of skin.

**Eye contact:** Contact with eyes will cause irritation.

**Ingestion:** Harmful. May cause lung damage if swallowed.

**SECTION 4 - FIRST AID MEASURES**

<b>Inhalation:</b>	Remove to fresh air. If symptoms develop and persist, get medical attention.
<b>Skin contact:</b>	Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.
<b>Eye contact:</b>	Check for and remove any contact lenses. Immediately flush with copious amounts of water, preferably, Lukewarm water for at least 15 minutes, holding eyelids open all the time. Get medical attention.
<b>Ingestion:</b>	Do not induce vomiting. Rinse mouth thoroughly. Loosen any tight clothing. Keep individual calm. Obtain medical attention.

**SECTION 5 - FIRE FIGHTING MEASURES**

<b>Hazchem:</b>	2Y
<b>Flash point:</b>	-81°C (ASTM D-93) (propellant)
<b>Autoignition temperature:</b>	not available
<b>Flammable/Explosive limits-lower %:</b>	0.7% (bulk liquid)
<b>Flammable/Explosive limits-upper %:</b>	6.0% (bulk liquid)
<b>Extinguishing media:</b>	Foam, dry chemical or carbon dioxide.
<b>Special fire fighting procedures:</b>	None
<b>Unusual fire or explosion hazards:</b>	None
<b>Hazardous combustion products:</b>	Oxides of carbon. Irritating organic vapours. Keep run-off water out of sewers and water sources.

**SECTION 6 - ACCIDENTAL RELEASE MEASURES**

<b>Environmental precautions:</b>	Extinguish all ignition sources. Ventilate well. Use approved respirator if air contamination is above accepted level. Prevent product from entering drains or open waters.
<b>Clean-up methods:</b>	Soak up with inert absorbent. Store in a partly filled, closed container until disposal.

**SECTION 7 - HANDLING AND STORAGE**

<b>Handling:</b>	Avoid contact with eyes, skin and clothing. Avoid breathing vapour and mist. Wash thoroughly after handling.
<b>Storage:</b>	For safe storage, store at or below 38°C (100°F). Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.
<b>Incompatible products:</b>	Refer to Section 10.

**SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**

<b>Engineering controls:</b>	No specific ventilation requirements noted, but forced ventilation may still be required if concentrations exceed occupational exposure limits.
<b>Respiratory protection:</b>	Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
<b>Skin protection:</b>	Use impermeable gloves and protective clothing as necessary to prevent skin contact. Neoprene gloves. Butyl rubber gloves. Natural rubber gloves.
<b>Eye/face protection:</b>	Safety goggles or safety glasses with side shields.

See Section 2 for exposure limits.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Liquid in aerosol pack.
Colour:	Clear, pale straw coloured.
Odour:	Organic solvents.
pH:	Not available.
Boiling point/range:	180 - 215°C (bulk)
Melting point/range:	Not available
Specific gravity:	0.75 – 0.85 at 15°C
Vapour density:	<1
Evaporation rate:	Not available.
Solubility in water:	Insoluble.

## SECTION 10 - STABILITY AND REACTIVITY

Stability:	Stable
Hazardous polymerization:	Will not occur.
Hazardous decomposition products:	Oxides of carbon.
Incompatibility:	Strong oxidizers. Strong reducing agents
Conditions to avoid:	See "Handling and Storage" (Section 7) and "Incompatibility" (Section 10).

## SECTION 11 - TOXICOLOGICAL INFORMATION

### Product toxicity data:

Petroleum hydrocarbons	Oral: LD <sub>50</sub> >2000 mg/Kg (rat). Skin: LD <sub>50</sub> >2000mg/Kg (rat)
------------------------	---

## SECTION 12 - ECOLOGICAL INFORMATION

Ecological Information:	When released into the soil, this material may biodegrade to a moderate extent. When released into the soil, this material may evaporate to a moderate extent. When released into water, this material may biodegrade to a moderate extent. This material may bioaccumulate to some extent. When released into the air, this material may be moderately degraded by reaction with photo chemically produced hydroxyl radicals.
-------------------------	--

Environmental Toxicity:	No information found.
-------------------------	-----------------------

## SECTION 13 - DISPOSAL CONSIDERATIONS

### Recommended method

of disposal:	Dispose of according to Federal, State and local governmental regulations.
--------------	--

## SECTION 14 - TRANSPORT INFORMATION

ADG:	
Proper shipping name:	Aerosols
UN No.:	1950
Class:	2.1



**Hazchem code:** 2[Y]  
**Packing group:** none

**IMDG:**

**Proper shipping name:** Aerosols  
**Class:** 1950  
**Packing group:**  
**Marine pollutant:** No

**IATA (country variations may occur):**

**Proper shipping name:** Aerosols  
**Identification No.:** UN 1950  
**Class:** 2.1  
**Packing group:** II

**SECTION 15 - REGULATORY INFORMATION**

**Poisons Schedule (SUSDP):** Not Listed.  
**ADG Code:** This material is classified as dangerous according to the ADG Code  
**HSIS:** Non-Hazardous Substance. According to the criteria of SafeWork Australia.

**SECTION 16 – OTHER INFORMATION**

**Abbreviations/Acronyms:** ACGIH – American Conference of Government Industrial Hygienists.  
ADG – Australian Dangerous Goods.  
HSIS - Hazardous Substances Information System.  
IARC – International Agency for Research on Cancer.  
NIOSH – National Institute of Occupational Health and Safety.  
NOHSC – National Occupational Health and Safety Commission.  
PEL – Permissible Exposure Limit.  
STEL – Short Term Exposure Limit.  
SUSDP – Standard for the Uniform Scheduling of Drugs and Poisons.  
TLV – Threshold Limit Value.  
TWA – Time Weighted Average.

**DISCLAIMER**

The information contained within this MSDS applies only to the Chemtools product to which the sheet relates.

The information provided is based on our best knowledge at the time of issue.

The information contained within this MSDS is believed to be accurate and is given in good faith. However, no warranty is made, either expressed or implied, regarding its accuracy or any liability arising out of the use of the information herein or the product supplied.

When used in other preparations, formulations, or in mixtures, it is necessary to ascertain whether the classifications of the hazards have changed. The attention of the user is drawn to the possibility of creating other hazards when the product is used for purposes other than that for which it was recommended. In such cases, a reassessment may be necessary and should be made by the user.

This safety data sheet should only be used and reproduced in order that the necessary measures are taken relating to the protection of health and safety at work.

It is the responsibility of the handlers to pass on the totality of the information contained within this document to any subsequent person(s) who will come in to contact with, handle or use this product in any way.

They should check the adequacy of the information provided within this MSDS before passing it on to their customers/staff.